

PERFORMANCE AT SEA



FCC17 Alligator

The Modern Response To Your Needs

- Scalable platform adaptable to special missions
- Modern hull form & robust propulsion system
- Large combat payload & armour (RAID configuration) >>
- Stern A-frame crane (SCOUT configuration)
- Reconfigurable aftdeck for RHIB's, UXV's and other equipment **>>**
- Mission space with wet unit incl. shower and pantry
- A400 deployable
- All main systems designed and made in Germany



Main Platform Characteristics

Length: 17.2 m Beam: 3.8 m Draught: 1.0 m Displacement: 24+ t

Complement: 2 crew + 24 troops

Speed, sprint: 40+ kn Speed, cruising: 35+ kn Range: 350+ nm Main Engines: 2x 500+ kW

Propulsors: 2x steerable waterjets

Main Gun: 1 x 12,7mm RCWS Rheinmetall Natter

Detectability and Protection

Low vessel profile / reduced radar signature Rheinmetall Rosy decoy system integrated in mount Ballistic protection to STANAG 4569 Level 1

Modular Payload and Options

20-30mm RCWS, Hellfire missile launcher or mortar system

NBC-protection

Ballistic protection up to STANAG 4569 Level 3

Active defence system

Stern A-frame





MPV120

Total Multipurpose Capability

- Large command and control spaces
- Ample accommodation with capability for flag staff
- Propulsion redundancy, flexibility and efficiency >>
- NATO RAS by the side and stern
- Large fix + modular (MERZ) hospital



Main Platform Characteristics

Length: 123.80 m Beam: 20.00 m Displacement: 6,000 t

12,000+ nm @ 12 knots Range:

Endurance: 30+ days Speed max.: 20+ kn

2 shafts with CPP and PTI Propulsion:

Minimum crew: 42 p

Accommodation: 60 p (crew) + 240 mission personnel

60 p (crew) + app. 1500 p for 72 hrs

Support Capability

Max. deadweight: 2,000 t

Cargo fluid: 1,500 M3 (F44/F75)

Gasoil/JP5: 300 M3 Freshwater: 500 M3

Cargo solid: **72 TEU**

Payload Capability

Boats: Up to 4 x 12 m RHIBs or fast landing

crafts at the boat aft niches

4 x 8.5m lifeboats

Additional capacity in mission hold

Mission hold: 750m2 for vehicles, cargo or modular

payload

Well deck: For AAVs, FCC17 Alligator, RHIBS or

LCU/LCM

Organic hospital: BV 1850 Gr. C total 90 Beds







MPV120



MPV100



MPV90



MPV70 MkII



PK90



OPV80 MkII



OPV 80L



OPV70 MkII









Fr. Fassmer GmbH & Co. KG | Industriestraße 2 | 27804 Berne | Germany Phone +49 44 06 942 0 | Fax +49 44 06 942 100 | info@fassmer.de

www.fassmer.de

